bransonic 5210 manual



File Name: bransonic 5210 manual.pdf

Size: 2826 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 9 May 2019, 19:37 PM **Rating:** 4.6/5 from 775 votes.

Status: AVAILABLE

Last checked: 13 Minutes ago!

In order to read or download bransonic 5210 manual ebook, you need to create a FREE account.

Download Now!

eBook includes PDF, ePub and Kindle version

- Register a free 1 month Trial Account.
- ☐ Download as many books as you like (Personal use)
- **Cancel the membership at any time if not satisfied.**
- **☐ Join Over 80000 Happy Readers**

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bransonic 5210 manual . To get started finding bransonic 5210 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bransonic 5210 manual

Free shipping for many products! With the Bransonic CPX, we've gone digital and defined a new category in ultrasonic baths. We've reimagined our iconic line of ultrasonic baths for total control with a fully. Page CPN Rev. A Ultrasonic Cleaners Models,,,, Operator's Manual. Page Warranty Ultrasonic Cleaners, when used in accordance with manufacturer's instructions and under normal use, are Find great deals on a wide selection of Branson Ultrasonic Cleaner in Auctions, and Classified for sale ads on LabX. Ultrasonic Cleaner CPXH 2. Gal Next Customers also shopped for Page of Start over Page of This shopping feature will continue to load items when the Enter key is pressed. In order to navigate out of this Back. Branson RMT Ultrasonic Cleaner The Branson RMT Ultrasonic Cleaner is powerful enough to remove heavy oils, buffing compounds, proteins, consistent enough to manage difficult laboratory cleaning, and safe enough for Branson ultrasonic cleaners are extremely versatile. They can also be used in laboratory applications for cell separation, cell lysing, mixing, emulsifying, sample preparation, and degassing of liquids. Com Branson Home Ultrasonic cleaners Branson manual Rev. Bransonic Ultrasonic Bath REV. Instruction Manual Branson Ultrasonics Corporation Eagle Road Danbury, CT USA REV. This auction is live. You need to be registered and approved to bid at this auction. Watch the auction as a guest Your bid. This unit is onsite, is setup and we welcome for you to The Branson Ultrasonic Cleaner is a stainless steel, compact unit that provides high quality cleaning. Specifications Dimensions x 9. Branson ultrasonic bath with stainless steel interior. Technical specifications V, Hz, W. Branson Ultrasonics CPXH Series Ultrasonic Cleaning Bath Outfit your lab with an industry classic, heated cleaner that delivers the same ultrasonic power even when load conditions change. Each model is constructed using durable industrial style 40kHz

transducers.http://www.insource-inc.com/stock/userfiles/dtr-506cm-pvr-manual.xml

• branson 5210 manual, branson 5210 ultrasonic manual, bransonic 5210 manual, bransonic 5210 manual pdf, bransonic 5210 manual download, bransonic 5210 manual free, bransonic 5210 manual instructions.

View online or download Branson Operators Manual Manuals Brands Branson Manuals Ultrasonic Jewelry Cleaner Branson Manuals and User Guides for Branson We. Branson BSeries Ultrasonic Cleaners The Branson BSeries cleaners were superseded by the new Bransonics Cleaners in May of While the BSeries were great machines, we think the new Branson CPX and M Series units are even better, with more features. Branson BSeries Ultrasonic Cleaners NOTE The Bransonic BSeries of ultrasonic cleaners have been discontinued. However, we have a huge installed base of machines, and thousands of users so this page is provided as a reference for those who need help with their older units, or who wish to upgrade. Within the period guaranteed, manufacturer. BRANSON Ultrasonic Cleaners results found that include products Safe, easytouse ultrasonic cleaners from Grainger can be especially effective for cleaning metal and plastic machinery and parts. The Branson Ultrasonic Cleaner is a heated ultrasonic cleaner. Gov means it's official. Federal government websites often end in. IN STOCK Delivery Day Warranty Branson RMT Ultrasonic Cleaner Condition Refurbished and Tested to Manufacturer Spec Warranty Day Full Parts and Labor Click for Info Typically Ships Within to. Bransonic The Branson Ultrasonic Cleaner is a well manufactured and high quality laboratory product. Find Branson Ultrasonic products for sale at LabX. The CPXH digital bath is our most advanced ultrasonic bath yet. It seems the Branson Ultrasonic Cleaner, ID has been sold and is no longer available. Similar items may be available. Cleaning Applications of Bransonic Ultrasonic Baths. Branson 3510 DTH Ultrasonic Cleaner NIST. 2000X aed Actuator

Instruction Manual Emerson. Branson B Series Ultrasonic Cleaners Sonics Online. Bransonic Mechanical Digital Ultrasonic Baths. Ultrasonic cleaner Branson 5510EDTH. Branson Ultrasonics CPXH Series Ultrasonic Cleaning. Branson 5210 Ultrasonic Cleaner New Used Prices.http://metabolitplus.ru/files/file/dtr-32d-1-manual.xml

Branson B Series Ultrasonic Cleaners. Most orders ship within 24 business days unless stated otherwise. All of our equipment will be fully tested to perform at factory specifications before being shipped. Any electronic deficiencies detected are immediately repaired. All of the electronics and boards are tested for proper function, and any necessary preventative maintenance is performed alongside repairs by our industry trained technicians. Our primary goal is to offer products that are as close to new as possible at an affordable price. Any electronic deficiencies detected are immediately repaired. Great products, prices, and performance. Marshall Scientific provides tried and true equipment at a fraction of original purchase price. I always shop here first! I couldnt ask for more, Ill definitely use them again! Customer service is fantastic, they can always be reached by phone or email, and the staff are very knowledgeable and ready to help. Within the period Branson Ultrasonics. Corp. 41 Eagle Road. P.O. Box 1961. Branson 1510; 2510; 3510; 5510; 8510 Pdf User Manuals. View online or download Branson 1510; 2510 Ultrasonic cleaner. Please note that this manual is also pertinent to Models 1210, 2210, 3210, 5210, and 8210. Limited Warranty. Subject to the limitations outlined below, Branson warrants that the Branson 5510 Ultrasonic Cleaner "Bert" Operating Instructions. 1. The power to the ultrasonic cleaner is usually left on; if it is not on, turn on the power with the your Bransonic Ultrasonic Bath. Consult your Operators manual for detailed information on operation, applications, solutions, maintenance, and troubleshooting. The first golf instruction book, 1040 fillable form, Att blackjack rebate form, 2006 form state tax wisconsin, Veterans administration end of life manual. Reload to refresh your session. Reload to refresh your session.

With digital controls and power tracking capabilities, the CPXH Series makes consistent and precise 40kHz cleaning programmable and easy to use for any technician. It allows technicians to program and lockin cleaning settings. It not only helps reduce operation errors, but it also allows for autonomous operation after programming. It powers down the unit after a cycle is complete and no keys are pressed within 15 minutes. One touch to the keypad and the unit wakes. Through ultrasonic power tracking and advanced technology, self adaptive technology automatically adjusts to changes within the tank, giving you steadfast cavitation. It's smart, innovative cleaning that adapts to deliver seamless results you can trust. We've extended the degas time periods up to 99 minutes to allow for processing such as cell disruption, mixing, dissolving solids into liquids and much more. It can also be set for time; up to 99 minutes, or continuous operation. Connect to a qualified service provider using LabX Service. Use our directory to find and contact a service specialist. Technological innovations, prominent manufacturers and popular equipment all in one place. View All Applications Shop ReSellers Shop Featured ReSellers Shop All Stores Resources, Guides and Articles Learn about equipment technologies and science in our resource center. Browse articles and infographics to get the latest industry insights. Topics Buying Guides Cannabis Laboratory Chromatography Infographics Mass Spectrometry Product Review Reasons to Upgrade Technical Insight View All Featured Infographics Featured Resources Auction Events Auction Events Check out upcoming equipment auctions on our event calendar. Score liquidation pricing on an incredible assortment of products. View All Applications Resources Resources, Guides and Articles Learn about equipment technologies and science in our resource center.

Find great deals on a wide selection of Branson 5210 Ultrasonic Cleaner in Auctions, and Classified for sale ads on LabX. Browse the ads below and contact the seller directly for more details or request a quote. Designated trademarks and brands are the property of their respective owners. Use of this Web site constitutes acceptance of the LabX User Agreement. This product comes with a 90

day warranty. Laboratory Controls will repair or replace your part at no charge. Please contact us for further information if you are in need of a repair. We take your security and privacy very seriously We are happy to oblige! We are also happy to ship on your accounts if you prefer. This includes our unbeatable 90Day warranty, or meticulous refurbishment process, our easy billing process, our secure website, and our desire to help you get the right lab equipment at the right price. Tank capacity 9.5 liters. Interior DxHxW 26 x 15 x 32 cm. Also will the equipment be tested, and only leave our company if it functions properly. Please upgrade Internet Explorer to the latest version. Each agency has its own auction rules and may be subject to government ordinances. Contact us with any questions, comments or concerns. All Rights Reserved. Site Map. If you do not have the Adobe Acrobat viewer necessary to view PDF files, a free Adobe Acrobat Viewer may be downloaded by visiting the Adobe Internet Site. Stainless steel tank Replaces model 2210DTH Mechanical 30min timer. Stainless steel tank 11.5 x 9.5 x 6 in. Stainless steel cabinet and cover. Drain. Steel cabinet. Heater with digital temperature readout and control. Digital 99min. timer. 7.5 gal. stainless steel tank 19.5 x 11.5 x 8 in Drain Mechanical 30min. timer. Stainless steel tank 11.5 x 9.5 x 6 in. Stainless steel cabinet Drain. Identical to Aquasonic 250HT. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Other Features.

Automatic rotor recognition, electronic imbalance detection, one finger lid closure, soft brake function. Automatic rotor recognition, rotor recognition, electronic imbalance detection, safety lid lock. Biopharma industrial scale cell harvesting, broth clarification and separation of cell debris, separator can be a closed sanitized system, separates particles to 0.1 micronBe sure to use this value in calculating the rpms required for each rotor. Here are a few important guidelines for operating a centrifuge. These can help prevent damage to the centrifuge and rotor and more importantly prevent possible serious injury to you and others. Use the correct rotor and make sure it is properly installed. Make sure your work surface is level and firm. A centrifuge should never be in operation on an uneven work surface. Balance the load in a rotor. If it is an identical liquid that you are balancing against, then volume will work just fine. Stop or unplug a centrifuge if you see excessive shaking. Check to see if your tubes are balanced and that work surface is level. If that's not the problem, schedule a service call. Don't move or bump the centrifuge while it is spinning. Make sure the centrifuge is in a location where this cannot accidentally happen. Don't open the lid to a centrifuge while it is spinning. Wear safety goggles if you are working near an operational centrifuge. Use the appropriate sample tubes for your rotor. Make sure your tubes are rated to be able to handle the max rcf of your rotor. Special tubes are needed for high force centrifugation.Limited. Yes. ProcessGrams to kilograms of purified compound. No. Proteins. Peptides. Sugars. NoReaction Speed. Standard. Detection. CCD camera. Scanning Photomultiplier Tube PMT. Channel Photomultiplier CPM Fluorescence. Photodiodes. Excitation Source. TungstenHalogen LampDetects 110 copies of target sequence. Lid Design.

Smart Lid heated lid to minimize sample evaporationTrademarks used herein are trademarks or registered trademarks of BioSurplus, Inc. All other names and brands are registered trademarks of their respective companies. Call Monday Friday, 8am 5pm, to talk with one of our scientific team members. Click here to Login or Register. By closing this banner or continuing to browse otherwise, you agree to the use of cookies. Find out more. It is like a Shopping Cart, but instead of inserting items to purchase into your cart, you insert your requests for quotes. You can manage your Request Cart by clicking on the icon Note If you are a dealer, please register here. It is like a Shopping Cart, but instead of inserting items to purchase into your cart, you insert your requests for quotes. You can send up to 10 dealer emails at a time, and up to 30 per day. The Dealer Directory is intended for visitors to make specific business inquiries and should not be used to send bulk emails. Something went wrong. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions

opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 8.

If you dont follow our item condition policy for returns, you may not receive a full refund. Refunds by law In Australia, consumers have a legal right to obtain a refund from a business if the goods purchased are faulty, not fit for purpose or dont match the sellers description. More information at returns. All Rights Reserved. Shown left is a picture of the John Deere 5210 tractor. View entire John Deere 5210 specifications below. Free shipping within 1,000 miles. You must call to get price and availability for your loader Free shipping within 1,000 miles! Free shipping within 1,000 miles! Free shipping within 1,000 miles! This will allow you to connect a wide variety of attachments to this tractor. As shown above, we have hand picked a variety of implements based on the John Deere 5210 specs that we recommend and carry to fit this tractor. However, this may not be a truly complete John Deere 5210 Attachments list. Please feel free to contact us if you have another attachment picked out from our website that you are considering attaching to your John Deere 5210 and want to know if it is a good fit. There is some cosmetic wear. Unit was not used very much and was kept in good condition. Power cord is included. Working condition. Comes as pictured Needs cleaning.. more And there is some erosion in tray Comes with lid Thank You for Viewing My auction. Please feel free to email me if you have any questions. I want you to have a positive experience with me. If something is wrong with your order. Please email me and I will do my best to resolve your issue promptly. I want your 5Star Positive Feedback. Sellebrity Analytics. 5v.RcmdId ViewItemDescV4,RlogId p4%60bo7%60jtb9%3Fuk%601d72f%2Bkw72shq%3E5v13f7831b2b00x101 Tested I was able to power it on and the ultrasonics did activate when the timer dial is turned. No further testing. Warranty 14 day Right of Return SKU 392441 Please review our Help page for all of our Terms and Conditions before bidding or purchasing.

By bidding or purchasing our merchandise. You are agreeing to these terms and conditions. Questions Send us a message SALE TERMS AND CONDITIONS Only the pictured items are included in the listing. If it is not pictured or mentioned in the description it is not included. Place a bid only if you intend to purchase the item. If payment is not received within 3 days. The items will be relisted at our discretion. PAYMENT INFORMATION Payments are expected in a timely manner. Please contact us in the event that payment cannot be made within three days. Payment arrangements can be made. We cannot process the order until we receive sales tax or a copy of your tax ID. If you would like to pay using a credit card. Please call us at 408 7435609. The condition of the item is either unknown or has known issues as stated in the description and does NOT carry any warranty and NO returns will be accepted for this item. 14Day RightofReturn You have fourteen14 days to contact us for a replacement or refund. We can not warranty compatibility with your equipment. Or warranty items that have been installed in your com Heated Ultrasonic Bath Cleaner !!! Please see below for images of testing with tinfoil. This Might Be Just What You Need For Your Ultrasonics Application. If you want what you see.CPX952216R Brand New Item Bransonic M and MH Series ultrasonic cleaners. M Series includes 60 minute mechanical timer and continuous operation. M and MH Series cleaners offer the following features Sweep frequency eliminates standing waves and creates consistent cavitation throughout the tank. 40 kHz rugged industrial transducers. Controls are located above and behind the cleaning tank in an easily accessible control tower panel. And raised above the tank to avoid damage from cleaning solutions. Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank drains with valves are incorporated on models 1.5 gallon

and larger. Plastic body. Chemicalresistant. NOTE Tank cover included.

For optimum cleaning results. Branson offers a line of accessories including perforated trays, solid trays, beaker covers and support racks for your application needs. Please contact us for pricing. Power tracking, degas. Power tracking, degas. Branson 5510, 2.5 Gallon Benchtop Ultrasonic Cleaner in excellent working and cosmetic condition. Both the, more ultrasonic cleaner and temperature control work. If you look at the pictures you can see the temperature rose from 24 d. to 27d. I tried showing a video that the ultrasonic cleaner was working but it would not accept it. I am selling it to be in working condition. If you have any questions, please ask. International buyers, check shipping cost before purchasing. RcmdId ViewItemDescV4,RlogId p4%60bo7%60jtb9%3Fvo%7B%3Dd70f%2Bf54%3E14523cc67d50x10b CPX952317R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. M Series includes 60minute mechanical timer and continuous operation. Power tracking, degas.CPX952816R Brand New Item Branson M8800 5.5 Gal. Benchtop Ultrasonic. CPX952816R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. Power tracking, degas.CPX952119R Brand New Item Branson CPX1800 0.5 Gal. Benchtop Ultrasonic. CPX952119R. Bransonic CPX ultrasonic baths feature digital controls with power tracking capabilities to adjust for light or heavy loads. Ultrasonic power tracking The new CPX Series Bransonic control circuitry actively tracks the operating frequency of the bath and immediately brings the tank's frequency back to its optimum point. What this means to the end user is that the CPX Series Bransonic bath will always deliver the same ultrasonic power without depending on the operator to make adjustments. The new CPX Series Bransonic delivers unwavering cavitation.

Steady activity in the bath, even when the load conditions change. Degassing and conditioning the solution The CPX degassing period can be set up to 99 minutes. Extended degas time periods allow for "beyond cleaning" applications such as sample preparation. Which includes degassing liquids, mixing and homogenization, dissolving solids, cell lysing, and dispersion of particles. The CPX unit allows the user to lower the amplitude of the acoustic energy in the bath 100% power to the tank for normal applications, 70% power for delicate applications. Manipulating the output waveform in this manner greatly helps to avoid damage to the components in the bath during the ultrasonic process. Sleep mode An energysaving green feature. When the cycle is complete and no control keys are touched for 15 minutes. The CPX unit goes into sleep mode. Touching any key on the controller causes the unit to come back on. Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank drains with valves are CPX952317R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. Warranty; Comes with 2 Years Manufacturers Warranty TO OUR CUSTOMERS. We appreciate very much if you can leave us a 5 STAR positive feedback on ebay after you receive your item in the condition you expected. Feedbacks are our essential tool to build up a trustful seller reputation on eBay community. If you have any concerns with your purchase or our service, PLEASE Contact us first before you leave us a negative feedback. We promise that we will try to do our best to resolve your issue smoothly to deserve your positive feedback. If the item is subject to CPX952219R Brand New Item Bransonic CPX ultrasonic baths feature digital. Ultrasonic power tracking The new CPX Series Bransonic control circuitry actively tracks the operating frequency of the bath and immediately brings the tank's frequency back to its optimum point.

Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank drains with valves are incorporated on models 1.5gallon and larger. Plastic body, chemicalresistant. NOTE Tank co CPX952319R Brand New Item Branson CPX3800 1.5 Gal. Benchtop Ultrasonic. CPX952319R. Bransonic CPX ultrasonic baths feature digital controls with power tracking capabilities to adjust for light or heavy loads. Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank

drains with valves are CPX952119R Brand New Item Branson CPX1800 0.5 Gal. Benchtop Ultrasonic. Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank drains with valves are CPX952316R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. If the item is subject to FDA CPX952216R Brand New Item Bransonic M and MH Series ultrasonic cleaners.M Series includes 60minute mechanical timer and continuous operation. Power tracking, degas.CPX952316R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. If the item is subject to FDA regulation, We CPX952319R Brand New Item Branson CPX3800 1.5 Gal. Benchtop Ultrasonic. Convenient builtin pour drains are featured on.5 and.75 gallon models. Tank drains with valves are CPX952819R Brand New Item Bransonic CPXH heated ultrasonic. With programmable features. Degassing and conditioning the solution The CPXH degassing period can be set up to 99 minutes. Ultrasonic power tracking The new CPXH Series Bransonic control circuitry actively tracks the operating frequency of the bath and immediately brings the tank's frequency back to its optimum point. What this means to the end user is that the CPXH Series Bransonic bath will always deliver the same ultrasonic power without depending on the operator to make adjustments.

The new CPXH Series Bransonic delivers unwavering cavitation. Programmable The CPXH Series is completely programmable. Once the process is entered into the controller. The end user only has to start the program and they are free to leave the unit on its own to do the job. The programmable process allows the process engineer to choose the temperature set point at which the degassing and ultrasonic time periods are triggered to begin. Automatic ultrasonic activation When the process temperature reaches the programmable set point. The ultrasonic cycle begins. This includes selectable times for both degas and ultrasonic processing. The CPXH allows the user to lower the a CPX952818R Brand New Item Bransonic CPXH heated ultrasonic baths. With programmable features. The CPXH allows the user to lower the amplitude of CPX952817R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. If the item is subje CPX952517R Brand New Item Bransonic M and MH Series ultrasonic.M Series includes 60minute mechanical timer and continuous operation. If the item is subject to FDA regulation, We will verify your status as an authorized purchaser of this item before CPX952517R Brand New Item Bransonic M and MH Series ultrasonic.M Series includes 60minute mechanical timer and continuous operation. Power tracking, degas.CPX952819R Brand New Item Bransonic CPXH heated ultrasonic. With programmable features. The CPXH allows the user to lower the amplitude CPX952317R. Bransonic M and MH Series ultrasonic cleaners are known for offering a level of precision and reliability you have come to expect from Branson. Power tracking, degas.CPX952518R Brand New Item Bransonic CPXH heated ultrasonic baths.With programmable features. The CPXH allows the user to lower the amplitude of th Dental ultrasonic cleaners, Skymen ultrasonic cleaner, LPs.Payment must immediately make after confirmation your buying.

Shipments are shipped mainly from China and made via China Post registered air mail.Branson 5510, 2.5 Gallon Benchtop Ultrasonic Cleaner in excellent working and cosmetic condition. Both the. more ultrasonic cleaner and temperature control work. RcmdId ViewItemDescV4,RlogId p4%60bo7%60jtb9%3Fvo%7B%3Dd70f%2Bf54%3E14523cc67d50x10b With programmable features. The CPXH allows the user to lower the amplitude of the acoustic energy in th CPX952818R Brand New Item Bransonic CPXH heated ultrasonic baths.With programmable features. The CPXH allows the user to lower the amplitude of th Please understand if it is going out of the country it can take between 3 and 6 weeks depending on customs. If item is weight is over 150 pounds too large for Fedex it will need to be sent Freight This will require a commercial address name of Business phone number if it is going to a residential address there will be extra 100.00 charge also if lift gate is needed that is a additional charge Please email me with this information. If it is not shown in the picture then it probably does not come with the item please email me if you have a question before

purchasing. Paypal Is accepted. All Items will be shipped out within 48 hours. If you have any problems with the item please email us so we can work the problem out. Thank You For Looking At Are Item18. Or something hot was next to it.not sure, but the plastic is slightly deformed I was not the end user of this item. So I do not know the history or how it works Please see pics for detail and condition FREE SHIPPING. Continental USA only. all others message for a shipping quote Check out my. Be sure to add me to your. This item is part of an estate liquidation. You are buying this item as is. And as found and as pictured. Ask questions if you have. Descriptions are as I see them, and not responsible for omissions of details, as we are not experts at any of the items we sell. I am known for my attention to care when packaging.

And even the best packing job may not survive the postal service. I add insurance at my expense for your convenience and will file the claim if need be. I will not refund for items mishandled by the post office when insurance is provided. We do not clean or refurbish any of our items due to the many differences of opinion on cleaning techniques INTERNATIONAL BUYERS Due to the complexity of international trade and shipping. Once the item is payed for and shipped, it has left my control. I cannot be responsible for delayed shipping. Or customs issues, nor any additional fees to secure your items once it has left my hands. I will provide tracking info if you select USPS express only. Thank you for understanding. I also combine shipping as well as reuse and recycle packaging materials to keep costs down and do my part to protect the environment. I also package things as I would appreciate to receive them.intact. Please reuse or donate your packing materials This product can be previewed at our facility in Ventura. Ca. during normal business hours 8am to 5pm MF. If you have any questions or specific testing you would like done please email or call us before bidding. Please call us if you have any questions at 805 6483300 Photos in this listing may not show the exact item we will shipie. If you have any questions please contact us before bidding. Shipping We will professionally package. Using instapak foaminplace if needed, and insure this product for safe delivery. Please contact us for international shipping rates. Local pickup is encouraged for which all shipping and handling fees will be waived PID 42404 ABOUT SHIPPING TO DOMESTIC OUTLYING AREAS Please note that although the shipping calculator should not offer rates to Alaska. Hawaii, Puerto Rico, etc. These locations do not qualify for FREE SHIPPING offers, so weve had to exclude them from all shipping to prevent erroneous listings.